



Restaurant Bakery Permit Inspection Report

Kings County Department of Public Health
Environmental Health Services
460 Kings County Dr., Suite 101 & 102 Hanford CA 93230
Phone - 559-584-1411 Fax - 559-584-6040
Internet - <https://www.kcdph.com/ehs>

INSPECTION REPORT

FOOD VENDING PERMIT - GR7 (>1 mil)

Facility Name		Facility Address		City/State		Zip Code	
STARBUCKS #58647		2597 N 11TH		HANFORD, CA		93230	
Owner/Operator		Facility Phone No.		Inspection ID		Inspection Result	
STARBUCKS CORPORATION		2063188705		65959		Pass	
Inspector Name	Inspection Date	Purpose of Inspection		Permit License		Expiration Date	
Jesus Crespin	7/10/2025	Routine Inspection		PR0010653		9/1/2025	

An inspection of your facility revealed the following violations of the California Health and Safety Code and/or California Code of Regulations. A reinspection may occur at any time to verify correction of these violations. Please note the date of correction as listed per violation.

NVO = No Violation Observed OUT = Out of Compliance N/A = Not Applicable COS = Corrected On Site UD = UD

Overall Inspection Comment:

A routine inspection was conducted today for Starbucks on 11th in Hanford, CA.

Russ, the managers on the shift, gave consent for the inspection to be conducted. The following observations were made:

All hand wash sink dispensed water above 100F. All sinks were clean and free of debris. All sinks were unobstructed.

All food preparation sinks dispensed water above 120F.

3-compartment sink dispensed water above 120F. Quaternary ammonia is used for sanitization. Quaternary ammonia test strips are available for testing.

All cold holding equipment was temperatured below 41F. All milk and alternative milk containers were lidded.

All food was stored separately from chemicals, and were stored 6 inches off of the ground.

Food managers certificate was reviewed and valid

ATTENTION: There are a total of 0 item(s) marked above in violation. Total Major violations are 0.



Restaurant Bakery Permit Inspection Report

Kings County Department of Public Health
Environmental Health Services
460 Kings County Dr., Suite 101 & 102 Hanford CA 93230
Phone - 559-584-1411 Fax - 559-584-6040
Internet - <https://www.kcdph.com/ehs>

INSPECTION REPORT

FOOD VENDING PERMIT - GR7 (>1 mil)

Signatures

Received By:

A handwritten signature in black ink, appearing to be "JG", on a light blue background.

Inspected By:

A handwritten signature in black ink, appearing to be "Ma", on a light blue background.

Inspector Name: **Jesus Crespin**

Title: **EHS**

Date: **7/10/2025**

Phone:

Email: **Jesus.Crespin@co.kings.ca.us**



Restaurant Bakery Permit Inspection Report

Kings County Department of Public Health
Environmental Health Services
460 Kings County Dr., Suite 101 & 102 Hanford CA 93230
Phone - 559-584-1411 Fax - 559-584-6040
Internet - <https://www.kcdph.com/ehs>

INSPECTION REPORT

FOOD VENDING PERMIT - GR7 (>1 mil)

Facility Name		Facility Address		City/State	Zip Code
STARBUCKS #58647		2597 N 11TH		HANFORD, CA	93230
Owner/Operator		Facility Phone No.	Inspection ID	Inspection Result	
STARBUCKS CORPORATION		2063188705	52538	Needs Improvement	
Inspector Name	Inspection Date	Purpose of Inspection		Permit License	Expiration Date
Jesus Crespin	1/13/2025	Routine Inspection		PR0010653	9/1/2025

An inspection of your facility revealed the following violations of the California Health and Safety Code and/or California Code of Regulations. A reinspection may occur at any time to verify correction of these violations. Please note the date of correction as listed per violation.

NVO = No Violation Observed OUT = Out of Compliance N/A = Not Applicable COS = Corrected On Site UD = UD

Violation Status	Violation Code	Observation
FDA Food Code 2017		
☐ NVO ☐ UD ☐ NA ☒ OUT	16 - PROTECTION FROM CONTAMINATION - Food-contact surfaces; cleaned and sanitized	
Sanitization buckets were cloudy and in need of new sanitizer. Please be sure to routinely empty and refill sanitizer buckets to ensure proper sanitization. Staff fixed on site.		
☐ NVO ☐ UD ☐ NA ☒ OUT	55 - PHYSICAL FACILITIES - Physical facilities installed, maintained, and clean	
Spilled milk was observed in back of house refrigeration unit, this was fixed on site by staff.		
Coffee beans and grounds were observed in prep line cabinets. Please be sure to clean out excess ground and debris to prevent vermin.		

Overall Inspection Comment:

A routine inspection was conducted on January 13, 2025. The following was observed:

All refrigeration units were temperatured below 41F. All food in the refrigeration units were individually sealed, and liquids were covered and seal in their respective containers.

All freezer units were temperature below 10F. All food was individually sealed to prevent contamination.

All hand washing sinks were stocked with soap, and paper towels. All hand washing sinks were temperatured at 100F.

Food Prep sink and 3-Compartment Sink dispensed water that was temperatured at 120F. Quaternary ammonia is used for sanitization of food prep equipment. A dishwasher is also available for sanitization.

All dry storage was stored 6 inches off of the ground.

Food Managers, Food Handlers, and Pest control records were up-to-date.

Refrigeration unit in back-of-house was missing paneling at the bottom of the unit, staff stated unit is in process of being repaired.



Restaurant Bakery Permit Inspection Report

Kings County Department of Public Health
Environmental Health Services
460 Kings County Dr., Suite 101 & 102 Hanford CA 93230
Phone - 559-584-1411 Fax - 559-584-6040
Internet - <https://www.kcdph.com/ehs>

INSPECTION REPORT

FOOD VENDING PERMIT - GR7 (>1 mil)

ATTENTION: There are a total of 2 item(s) marked above in violation. Total Major violations are 0.

Signatures

Received By:

Inspected By:

Inspector Name: **Jesus Crespin**

Title:

Date: **1/13/2025**

Phone:

Email: