



County of Kings - Department of Public Health
Environmental Health Services Division
330 Campus Drive Hanford, CA 93230
Phone - 559-584-1411 Fax - 559-584-6040
Internet - www.countyofkings.com/ehs

FOOD SAFETY EVALUATION REPORT

FACILITY NAME: SEQUOIA CLUB	BUSINESS PHONE: (559) 707-1411	RECORD ID#: PR0000197	DATE: December 06, 2022
FACILITY SITE ADDRESS: 118 N IRWIN ST	CITY: HANFORD	ZIP CODE: 93230	INSPECTION TYPE: ROUTINE INSPECTION
OWNER NAME: ROBERT LEE	CERTIFIED FOOD MANAGER: Not Specified	EXP DATE:	INSPECTOR: Troy Hommerding-REHS

The items (if any) listed below identify the violation(s) that must be corrected. Thank you for your cooperation.
One reinspection will be conducted (if needed) at no charge. A service fee is assessed for each additional reinspection required.

Violation: None Noted

General Comments:

Bar area is in satisfactory condition.
Bar three compartment sink was observed with hot & cold running water.
Restrooms were in satisfactory condition and fully stocked.

RESULTS OF EVALUATION: <input checked="" type="checkbox"/> PASS <input type="checkbox"/> NEEDS IMPROVEMENT <input type="checkbox"/> FAIL	Reinspection Required: Yes: <input type="checkbox"/> No: <input checked="" type="checkbox"/> Reinspection Date (on or after): <u> N/A </u> <input type="checkbox"/> Potential Food Safety All Star:
---	---

Received By: _____

Troy Hommerding-REHS

Agency Representative

NOTE: This report must be made available to the public on request



County of Kings - Department of Public Health
Environmental Health Services Division
 330 Campus Drive Hanford, CA 93230
 Phone - 559-584-1411 Fax - 559-584-6040
 Internet - www.countyofkings.com/ehs

FOOD SAFETY EVALUATION REPORT

FACILITY NAME: SEQUOIA CLUB	BUSINESS PHONE: (559) 707-1411	RECORD ID#: PR0000197	DATE: March 10, 2020
FACILITY SITE ADDRESS: 118 N IRWIN ST	CITY: HANFORD	ZIP CODE: 93230	INSPECTION TYPE: ROUTINE INSPECTION
OWNER NAME: ROBERT LEE	CERTIFIED FOOD MANAGER: Not Specified	EXP DATE:	INSPECTOR: Luis Flores - REHS

The items (if any) listed below identify the violation(s) that must be corrected. Thank you for your cooperation.
 One reinspection will be conducted (if needed) at no charge. A service fee is assessed for each additional reinspection required.

Violation: IMPROPER MAINTENANCE OF HANDWASH FACILITIES [HSC 113953 - 113593.2]

Description/Corrective Action: The men's restroom handwash sink does not provide hot water supply at this time. The handwash sink water supply lines and drainage are contained in an unopenable vanity at this time. Based on the current situation, it appears hot water is shut off at the supply valve within the vanity. Have this corrected ASAP.

Violation: OTHER PERMIT VIOLATION

Description/Corrective Action: The facility currently utilizes a Baker's Pride electric heating unit for heating pizzas, fries, etc. The use of this unit in the bar is not approved and the unit must be removed. Remove this unit from the facility within 24 hours.

Violation: FOODS & EQUIPMENT NOT PROTECTED FROM CONTAMINATION [HSC 113980, 114025-114027]

Description/Corrective Action: The ice bin scoop was observed stored within the unit ice bed. Remove the scoop and store either on a clean surface or within a clean container such as a bucket of bag.


General Comments:

The general bar area was observed in satisfactory condition.

Contact this Department within 48 hours to notify that required corrective action has been completed. Failure to do so will be cause for a re-inspection to be conducted to verify compliance.

Feel free to contact me iwth any questions.

RESULTS OF EVALUATION: <input type="checkbox"/> PASS <input checked="" type="checkbox"/> NEEDS IMPROVEMENT <input type="checkbox"/> FAIL	Reinspection Required: Yes: <input type="checkbox"/> No: <input checked="" type="checkbox"/>
	Reinspection Date (on or after): <u> N/A </u>
	<input type="checkbox"/> Potential Food Safety All Star:



 Received By:

Luis Flores - REHS

 Agency Representative

NOTE: This report must be made available to the public on request