



Retail Market Permit Inspection Report

Kings County Department of Public Health
 Environmental Health Services
 460 Kings County Dr., Suite 101 & 102 Hanford CA 93230
 Phone - 559-584-1411 Fax - 559-584-6040
 Internet - <https://www.kcdph.com/ehs>

INSPECTION REPORT

FOOD VENDING PERMIT - RM2 (501-2000)

Facility Name		Facility Address		City/State	Zip Code
SKYLINE MINI MART		722 SKYLINE BLVD		AVENAL, CA	93204
Owner/Operator		Facility Phone No.	Inspection ID	Inspection Result	
WALID MOHARAM		5593860933	68736	Pass	
Inspector Name	Inspection Date	Purpose of Inspection	Permit License	Expiration Date	
Chaitanya Patel	7/28/2025	Routine Inspection	PR0000591	10/1/2025	

An inspection of your facility revealed the following violations of the California Health and Safety Code and/or California Code of Regulations. A reinspection may occur at any time to verify correction of these violations. Please note the date of correction as listed per violation.

NVO = No Violation Observed OUT = Out of Compliance N/A = Not Applicable COS = Corrected On Site UD = UD

Violation Status	Violation Code	Violation Summary	Observation
FDA Food Code 2017			
☐ -Select- ☐ IN ☒ OUT ☐ N/A	55 - PHYSICAL FACILITIES - Physical facilities installed, maintained, and clean	Soda machine ice dispensing area noted with green colored buildups. Clean regularly to avoid buildups. Soda machine nozzles noted clean but the areas surrounding the nozzles noted with residue buildup. Clean regularly around the nozzles to avoid residue buildup. Ice machine noted with dirt and grime buildup on the top areas of the machine inside the storage sections. Clean regularly. CO2 cannisters noted unchained. Chain and secure to avoid tipping or falling of the cannisters.	



Retail Market Permit Inspection Report

Kings County Department of Public Health
Environmental Health Services
460 Kings County Dr., Suite 101 & 102 Hanford CA 93230
Phone - 559-584-1411 Fax - 559-584-6040
Internet - <https://www.kcdph.com/ehs>

INSPECTION REPORT

FOOD VENDING PERMIT - RM2 (501-2000)

Overall Inspection Comment:

Retail Market inspection conducted and the following is observed;

Facility is a retail market with cold holding areas for ice cream and some dairy milk products. Temperature observed below 41F. Facility has a reach in ice cream Refrigeration unit. Scoops need to be cleaned after each use as the facility does not have a well dipper with continuous flow system.

Soda machine area noted with some dirt and debris buildup. Soda machine dispensing nozzles noted clean during this inspection.

Other areas of the market walked and general cleanliness is noted. Shelves checked for expired or damaged canned goods.

ATTENTION: There are a total of 1 item(s) marked above in violation. Total Major violations are 0.

Signatures

Received By:

Inspected By:

Inspector Name: **Chaitanya Patel**

Title: **Environmental Health Officer I**

Date: **7/28/2025**

Email: **Chaitanya.Patel@co.kings.ca.us**

Phone: **559-584-1411**

CERTIFICATION OF RETURN TO COMPLIANCE

I certify that the violations noted above on this report have been corrected. I have personally examined any documentation attached to the certification to establish that the violations have been corrected.

Signature: _____ Title: _____ Date: _____