

## **Retail Market Permit Inspection Report**

Kings County Department of Public Health
Environmental Health Services
460 Kings County Dr., Suite 101 & 102 Hanford CA 93230
Phone - 559-584-1411 Fax - 559-584-6040
Internet - https://www.kcdph.com/ehs

## INSPECTION REPORT FOOD VENDING PERMIT - RM3 (2001-5000)

| Facility Name           |                 | Facility Address   |                       |        |                       | City/State |                   |                 | Zip Code |
|-------------------------|-----------------|--------------------|-----------------------|--------|-----------------------|------------|-------------------|-----------------|----------|
| KETTLEMAN CITY MARKET 2 |                 | 216 BECKY PEASE ST |                       |        | KETTLEMAN CITY,<br>CA |            |                   | 93239           |          |
| Owner/Operator          |                 |                    | Facility Phone No.    | Inspec | tion II               | )          | Inspection Result |                 |          |
| RASHAD MOHAMED          |                 |                    | 5593860304            | 62056  |                       |            | Pass              |                 |          |
| Inspector Name          | Inspection Date |                    | Purpose of Inspection |        | Permit License        |            | е                 | Expiration Date |          |
| Evelyn Elizalde         | 5/28/2025       |                    | Routine Inspection    |        | PR0010724             |            |                   | 12/1/2025       |          |

An inspection of your facility revealed the following violations of the California Health and Safety Code and/or California Code of Regulations. A reinspection may occur at any time to verify correction of these violations. Please note the date of correction as listed per violation.

NVO = No Violation Observed OUT = Out of Compliance N/A = Not Applicable COS = Corrected On Site UD = UD

## **Overall Inspection Comment:**

The following was observed during today's routine inspection:

Hand wash sink was fully stocked and water temperature reached 100F.

Cold storage unit was below 41F.

All food items were 6 inches above the ground and no debris present on the floor.

The infant food was checked and all foods on the shelves were within the use by dates.

ATTENTION: There are a total of 0 item(s) marked above in violation. Total Major violations are 0.

## Received By: Inspected By:

Inspector Name: Evelyn Elizalde

Title: Environmental Health Officer III

Date: 5/28/2025

Email: Evelyn.Elizalde@co.kings.ca.us

Phone: (559) 584-1411