



Retail Market Permit Inspection Report

Kings County Department of Public Health
Environmental Health Services
460 Kings County Dr., Suite 101 & 102 Hanford CA 93230
Phone - 559-584-1411 Fax - 559-584-6040
Internet - <https://www.kcdph.com/ehs>

INSPECTION REPORT

Facility Name		Facility Address		City/State		Zip Code	
CHEVRON- EXTRA MILE #6133		24904 JACKSON Ave		KETTLEMAN CITY, CA		93239	
Owner/Operator		Facility Phone No.		Inspection ID		Inspection Result	
WATER TOWER SERVICES/ HAMEK/THIARA		4158230953		63076		Pass	
Inspector Name	Inspection Date	Purpose of Inspection		Permit License		Expiration Date	
Juliane Wright	6/9/2025	Routine Inspection		EH-FDP-25-000007		2/1/2026	

An inspection of your facility revealed the following violations of the California Health and Safety Code and/or California Code of Regulations. A reinspection may occur at any time to verify correction of these violations. Please note the date of correction as listed per violation.

NVO = No Violation Observed OUT = Out of Compliance N/A = Not Applicable COS = Corrected On Site UD = UD

Violation Status	Violation Code	Violation Summary	Observation
FDA Food Code 2017			
☐ -Select- ☐ IN ☒ OUT ☐ N/A	10 - PREVENTING CONTAMINATION BY HANDS - Adequate handwashing sinks properly supplied and accessible	Restroom did not have hand soap. Operator corrected on site and added soap pump.	Corrected On-Site: Yes
☐ -Select- ☐ IN ☒ OUT ☐ N/A	39 - PREVENTION OF FOOD CONTAMINATION - Contamination prevented during food preparation, storage, and display	Dry storage area needs to be organized by separating all food products from non-food items and cleaning supplies. Observed chips and ramen packages were next to mops and other cleaning supplies. Observed motor oil next to food packaging containers.	
☐ -Select- ☐ IN ☒ OUT ☐ N/A	43 - PROPER USE OF UTENSILS - In-use utensils; properly stored	Observed ice scoops stored on top of the ice machine. Keep these over a clean surface and covered to prevent dust or debris from falling on the scoops. A small amount of mildew could be seen on the inside cover of the ice machine. Wipe this area down and sanitize to prevent further growth.	



Retail Market Permit Inspection Report

Kings County Department of Public Health
Environmental Health Services
460 Kings County Dr., Suite 101 & 102 Hanford CA 93230
Phone - 559-584-1411 Fax - 559-584-6040
Internet - <https://www.kcdph.com/ehs>

INSPECTION REPORT

Overall Inspection Comment:

Observed overall facility well maintained.
Hot water was present at each of the sinks and hand washing stations.
Cold holding temperatures for all refrigeration units were below 41F.
Hot holding units are not in use.
Ernesto Zendejas has food handler certificate valid until 5/27/2028.

Facility was inspected by Liliana Stransky.

ATTENTION: There are a total of 3 item(s) marked above in violation. Total Major violations are 0.

Signatures

Received By:

Inspected By:

Inspector Name: **Julianne Wright**
Title: **Environmental Health Technician**
Date: **6/9/2025**
Email: **juliane.wright@co.kings.ca.us**
Phone:

CERTIFICATION OF RETURN TO COMPLIANCE

I certify that the violations noted above on this report have been corrected. I have personally examined any documentation attached to the certification to establish that the violations have been corrected.

Signature: _____ Title: _____ Date: _____