



Restaurant Bakery Permit Inspection Report

Kings County Department of Public Health
Environmental Health Services
460 Kings County Dr., Suite 101 & 102 Hanford CA 93230
Phone - 559-584-1411 Fax - 559-584-6040
Internet - <https://www.kcdph.com/ehs>

INSPECTION REPORT

FOOD VENDING PERMIT - NONPROFIT

Facility Name		Facility Address		City/State		Zip Code	
MARTIN LUTHER KING SCHOOL		820 HUME AVE		HANFORD, CA		93230	
Owner/Operator		Facility Phone No.		Inspection ID		Inspection Result	
HANFORD ELEMENTARY SCHOOL DISTRICT		5595853620		60577		Pass	
Inspector Name		Inspection Date	Purpose of Inspection		Permit License		Expiration Date
Jesus Crespin		5/7/2025	Routine Inspection		PR0003709		8/31/2025

An inspection of your facility revealed the following violations of the California Health and Safety Code and/or California Code of Regulations. A reinspection may occur at any time to verify correction of these violations. Please note the date of correction as listed per violation.

NVO = No Violation Observed OUT = Out of Compliance N/A = Not Applicable COS = Corrected On Site UD = UD



Restaurant Bakery Permit Inspection Report

Kings County Department of Public Health
Environmental Health Services
460 Kings County Dr., Suite 101 & 102 Hanford CA 93230
Phone - 559-584-1411 Fax - 559-584-6040
Internet - <https://www.kcdph.com/ehs>

INSPECTION REPORT

FOOD VENDING PERMIT - NONPROFIT

Overall Inspection Comment:

A routine food inspection occurred at Martin Luther King Elementary School today. The following was observed:

All hand wash sinks dispensed water above 100F. All hand wash sinks were free of debris and were unobstructed. All hand wash sinks were stocked with soap and paper towels.

The facility has a dishwasher for sanitization purposes. The food prep sink dispenses water above 120F.

Vent hood is clean and free of debris. All hot holding equipment maintains food above a temperature of 135F. All cold holding equipment was temperatured under 41F.

Routine pest control is done and no presence of pests was observed.

Dry storage of food is 6 inches off of the ground and separate from chemicals

ATTENTION: There are a total of 0 item(s) marked above in violation. Total Major violations are 0.

Signatures

Received By:

Inspected By:

Inspector Name: **Jesus Crespin**

Title: **EHS**

Date: **5/7/2025**

Email: **Jesus.Crespin@co.kings.ca.us**

Phone: