



Retail Market Permit Inspection Report

Kings County Department of Public Health
Environmental Health Services
460 Kings County Dr., Suite 101 & 102 Hanford CA 93230
Phone - 559-584-1411 Fax - 559-584-6040
Internet - <https://www.kcdph.com/ehs>

INSPECTION REPORT

FOOD VENDING PERMIT -RM6 (>15000)

Facility Name		Facility Address		City/State		Zip Code		
EL REY SUPERMERCADO		10833 HANFORD-ARMONA RD		HANFORD, CA		93230		
Owner/Operator			Facility Phone No.		Inspection ID		Inspection Result	
SAIF HUSSEN			5595773464		60976		Needs Improvement	
Inspector Name		Inspection Date	Purpose of Inspection			Permit License		Expiration Date
Evelyn Elizalde		5/13/2025	Routine Inspection			PR0010467		11/1/2025

An inspection of your facility revealed the following violations of the California Health and Safety Code and/or California Code of Regulations. A reinspection may occur at any time to verify correction of these violations. Please note the date of correction as listed per violation.

NVO = No Violation Observed OUT = Out of Compliance N/A = Not Applicable COS = Corrected On Site UD = UD

Violation Status	Violation Code	Violation Summary	Observation
FDA Food Code 2017			
<input type="checkbox"/> -Select- <input type="checkbox"/> IN <input checked="" type="checkbox"/> OUT <input type="checkbox"/> NO	8 - PREVENTING CONTAMINATION BY HANDS - Hands clean and properly washed	Observed obstructed had wash station at the meat department area. Please remove any food utensils and use this area for hand wash only.	
<input type="checkbox"/> -Select- <input type="checkbox"/> IN <input checked="" type="checkbox"/> OUT <input type="checkbox"/> N/A	35 - FOOD TEMPERATURE CONTROL - Approved thawing methods used	Observed improper thawing methods of chicken and beef in the restaurant area. Please follow the proper thawing methods: 1. Under refrigeration at 41 F or below, 2. Completely submerged under cold running water at a temperature of 70 F or below, 3. As part of the cooking process or 4. In a microwave oven if immediately transferred to conventional equipment afterward.	
<input type="checkbox"/> -Select- <input type="checkbox"/> IN <input checked="" type="checkbox"/> OUT <input type="checkbox"/> N/A	50 - PHYSICAL FACILITIES - Hot and cold water available, adequate pressure	Observed a missing hot water nozzle at the three compartment sink in the restaurant area. Please repair or replace the hot water nozzle to restore proper functionality to ensure hot and cold water running is available at all times.	



Retail Market Permit Inspection Report

Kings County Department of Public Health
Environmental Health Services

460 Kings County Dr., Suite 101 & 102 Hanford CA 93230

Phone - 559-584-1411 Fax - 559-584-6040

Internet - <https://www.kcdph.com/ehs>

INSPECTION REPORT

FOOD VENDING PERMIT -RM6 (>15000)

<input type="checkbox"/> -Select- <input type="checkbox"/> IN <input checked="" type="checkbox"/> OUT <input type="checkbox"/> N/A	55 - PHYSICAL FACILITIES - Physical facilities installed, maintained, and clean	Observed a build up in the floor drains throughout the facility. Please maintain clean and free of debris. Observed excess debris build up of the food equipment in the bakery area. Observed two buckets placed on the floor beneath the evaporator unit inside the walk in cooler at the dairy refrigeration area. The buckets were used to collect condensate water dripping from the unit. Please make the necessary repairs to prevent any hazards or potential contamination.	
---	---	---	--

Overall Inspection Comment:

The following was observed during today's routine inspection:

The three compartment sinks had hot water above 120 F. Sanitizer (quat) was available along with test strips.

Refrigeration units were below 41 F at the bakery, meat department, and dairy section.

All food was stored 6 inches above ground level.

Hot holding foods in the restaurant area were above 135 F.

A thorough review of the infant food section was conducted, confirming that all products were within their designated 'use by' dates.

A re-inspection will be conducted on or after two weeks of this inspection, to verify compliance.

ATTENTION: There are a total of 4 item(s) marked above in violation. Total Major violations are 0.

Signatures

Received By:

Inspected By:

Inspector Name: **Evelyn Elizalde**

Title: **Environmental Health Officer III**

Date: **5/13/2025**

Email: **Evelyn.Elizalde@co.kings.ca.us**

Phone: **(559) 584-1411**