



## Restaurant Bakery Permit Inspection Report

Kings County Department of Public Health  
Environmental Health Services  
460 Kings County Dr., Suite 101 & 102 Hanford CA 93230  
Phone - 559-584-1411 Fax - 559-584-6040  
Internet - <https://www.kcdph.com/ehs>

### INSPECTION REPORT

#### FOOD VENDING PERMIT - GR4 (250-500)

Facility Name	Facility Address	City/State	Zip Code	
<b>COLD STONE CREAMERY</b>	<b>186 N 12TH AVE 111</b>	<b>HANFORD, CA</b>	<b>93230</b>	
Owner/Operator	Facility Phone No.	Inspection ID	Inspection Result	
<b>BENEVEDES INC</b>	<b>5595839000</b>	<b>54437</b>	<b>Pass</b>	
Inspector Name	Inspection Date	Purpose of Inspection	Permit License	Expiration Date
<b>Lindsay Hullinger</b>	<b>2/4/2025</b>	<b>Routine Inspection</b>	<b>PR0006565</b>	<b>12/1/2025</b>

An inspection of your facility revealed the following violations of the California Health and Safety Code and/or California Code of Regulations. A reinspection may occur at any time to verify correction of these violations. Please note the date of correction as listed per violation.

NVO = No Violation Observed OUT = Out of Compliance N/A = Not Applicable COS = Corrected On Site UD = UD



## Restaurant Bakery Permit Inspection Report

Kings County Department of Public Health  
Environmental Health Services  
460 Kings County Dr., Suite 101 & 102 Hanford CA 93230  
Phone - 559-584-1411 Fax - 559-584-6040  
Internet - <https://www.kcdph.com/ehs>

### INSPECTION REPORT

#### FOOD VENDING PERMIT - GR4 (250-500)

##### Overall Inspection Comment:

Observations from today's inspection:

The person in charge is Valerie.

Handwash stations have warm water, soap, and paper towels. The 3-compartment ware washing sink has hot water measuring over 120F.

All reach-in refrigerator/freezers measure below 41F. The food inside of all refrigerators is stored properly, with clear dates of preparation and covered to protect from contamination. All refrigerators have attached, working thermometers.

The ice-cream maker in the back is observed with some debris on the serving spout. Please ensure this is cleaned regularly, as it could potentially attract pests or vermin.

All floor sinks are observed clear of debris.

On the service bar, all foods/toppings are observed covered. Cold-holding items measure below 41F.

The dipping well is operational and being used.

Overall, the facility is observed clean with no major violations observed.

Thank you.

ATTENTION: There are a total of 0 item(s) marked above in violation. Total Major violations are 0.

#### Signatures

Received By:

Valerie

Inspected By:

Inspector Name: **Lindsay Hullinger**

Title: **Environmental Health Officer**

Date: **2/4/2025**

Email: **Lindsay.hullinger@co.kings.ca.us**

Phone: